

# RIVA-ACT2

TASK | MESH



Riva-Act2 Model: 4M22-60C-39A4



*It's more than just a chair.®*

SEAT SIZES	"A" Size Seat	"B" Size Seat	"C" Size Seat	ARM STYLES
	Standard Seat 19"W x 17.5"D	Medium Seat 20"W x 19"D	Large Seat 21.5"W x 19.5"D	
HIGH BACK	<b>Model # 3405</b> 	<b>Model #3605</b> 	<b>Model #3805</b> 	<p>-10A4 ● Adj. Ht. Arm With PU Pad</p> <p>-18A4 ● Full Function. Adj. Arm with PU Pad</p> <p>-39A4 ● Swing Back Adj. Ht. Arm with PU Pad ADJ. Width Bracket N/A</p> <p>-80A ● Exec. "C" Arm Non-Upholstered</p> <p>-90A ● Exec. "C" Arm Full-Upholstered</p> <p>-38A4 ● Height Adjustable Arm</p> <p>-39A4 ● Height Adjustable and Roll Back Function</p>
MID BACK	<b>Model #3403</b> 	<b>Model #3603</b> 	<b>Model #3803</b> 	
HIGH BACK MESH			<p>Seat - COM .75 yd; COL 8.5 sq. ft.</p>	
MID BACK MESH	<p>Seat - COM .75 yd; COL 8.5 sq. ft.</p>	<p>Seat - COM .75 yd; COL 8.5 sq. ft.</p>	<p>Seat - COM .75 yd; COL 8.5 sq. ft.</p>	

### GUEST CHAIR

Width: 25.75"  
Depth: 25"  
Height: 38"  
Seat Height: 14.25"

- 24SB Black sled base
- 24SC Chrome sled base

Weight capacity 300 lbs.  
7 Arm Cap - Standard.

### CONSTRUCTION

**Seat Upholstery Platform:** Kiln-dried, laminated hardwood that incorporates compound curve design and "T-nut" connection hardware.

**Back Upholstery Platform:** Injection molded plastic that incorporates a reinforced, compound curved design and "T-nut" connection hardware.

**High Back:** Seat and back are laminated hardwood.

**Outer Protective Shells:** Durable, scuff resistant injection molded plastic that may be upholstered.

**Foam:** High density, cold cured, molded, CFC-free, polyurethane foam manufactured specially for VIA using a proprietary formula to give our chairs that special initial feel and long lasting comfort.

**Connection Hardware:** Inserted into the upholstery platforms are durable metal-to-metal "T-nut" connectors.

**Arm Pads:** Durable but supple self-skinned urethane.

**Base:** The standard base is five-star, glass filled nylon. Optional metal and wood bases are available - see pricing pages.

**Casters:** The standard casters installed on our chairs are hooded .55mm, heavy duty, twin-wheeled, carpet casters. Optional casters for hard surfaces and stationary applications are available- see pricing pages.



**Testing:** All chairs have been tested to comply with, and in many cases exceed, ANSI/BIFMA standards.

**ACCORDING TO ANSI,**  
The seat reference point (SRP) is the distance from a slight indentation in the lumbar to the front of the seat.

# RIVA-ACT2

## MID BACK MESH / STANDARD SEAT

### ERGONOMIC TASK SEATING




Seat - COM .75 yd; COL 8.5 sq. ft.

#### True 48-Hour Commitment

- **20/48** 20 Chairs Every 48 Hours
- **10/48** 10 Chairs Every 48 Hours

#### MID BACK MESH / STANDARD (A) SEAT - *Basic Swivel Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
	<b>4M12</b>	<b>-20C</b>	<b>-0A</b>	● No Arms	479	488	507	521	544	572	605	647	699	764
			<b>-38A4</b>	● Height Adjustable	490	499	518	532	555	583	616	658	710	775
			<b>-39A4</b>	● Height Adj & Roll Back Function	516	525	544	558	581	609	642	684	736	801
			<b>-18A4</b>	● Full Function Arm	516	525	544	558	581	609	642	684	736	801

#### MID BACK MESH / STANDARD (A) SEAT - *Single Position Knee Tilt Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
	<b>4M12</b>	<b>-12C</b>	<b>-0A</b>	● No Arms	531	540	559	573	596	624	657	699	751	816
			<b>-38A4</b>	● Height Adjustable	542	551	570	584	607	635	668	710	762	827
			<b>-39A4</b>	● Height Adj & Roll Back Function	568	577	596	610	633	661	694	736	788	853
			<b>-18A4</b>	● Full Function Arm	568	577	596	610	633	661	694	736	788	853

**-13C** Control With Seat Slide      Add \$73 List      How to Specify: **4M12-13C-10A4**

#### MID BACK MESH / STANDARD (A) SEAT - *Syncro Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
	<b>4M12</b>	<b>-60C</b>	<b>-0A</b>	● No Arms	531	540	559	573	596	624	657	699	751	816
			<b>-38A4</b>	● Height Adjustable	542	551	570	584	607	635	668	710	762	827
			<b>-39A4</b>	● Height Adj & Roll Back Function	568	577	596	610	633	661	694	736	788	853
			<b>-18A4</b>	● Full Function Arm	568	577	596	610	633	661	694	736	788	853

#### STANDARD ARM OPTIONS



**-38A4** ● Height Adjustable Arm  
**-39A4** ● Height Adjustable and Roll Back Function  
**-18A4** ● Full Function. Adj. Arm with PU Pad

#### MESH COLORS AVAILABLE

SUFFIX	DESCRIPTION	PRICE
<b>-01MM</b>	Black Mesh	\$0
<b>-03MM</b>	Graphite Mesh	\$21
<b>-05MM</b>	Doe Mesh	\$21
<b>-07MM</b>	Sea Foam Mesh	\$21

How to Specify:  
**4M12-60C-18A4-03MM**  
 SEAT & BACK | ARM STYLE | CONTROL | OPTION

#### STANDARD CHAIR OPTIONS

SUFFIX	QS	DESCRIPTION	PRICE	SUFFIX	QS	DESCRIPTION	PRICE
<b>-9</b>	●	Four Way Adjustable Arm Cap (38A only)	\$31 List	<b>-11CB</b>	●	Custom Stain Base	\$223 List
<b>-14AB</b>	●	Adjustable Width Bracket (38A only)	\$23 List	<b>-21TB133</b>	●	Fire Rated Products (See page 151)	\$92 List
<b>-30SS</b>	●	Seat Slide	\$73 List	<b>-15ESD</b>	●	Electrostatic Discharge (See page 151)	
<b>-15SC</b>	●	Hard Floor Casters	\$23 List				
<b>-15XC</b>	●	Spoked Casters	\$33 List				
<b>-15GL</b>	●	Glides	\$23 List				
<b>-18ZL</b>	●	Drop Down Bracket (18A Arm Only)	\$51 List				
<b>-11PB</b>	●	Polished Aluminum Base	\$92 List				
<b>-11BA</b>	●	Brushed Aluminum Base	\$92 List				
<b>-11DR</b>	●	Drafting Stool kit - footring (See page 151)	\$126 List				


# RIVA-ACT2

## MID BACK MESH / MEDIUM SEAT

### ERGONOMIC TASK SEATING

True 48-Hour Commitment


- **20/48** 20 Chairs Every 48 Hours
- **10/48** 10 Chairs Every 48 Hours



Seat - COM .75 yd; COL 8.5 sq. ft.

### MID BACK MESH / MEDIUM (B) SEAT - *Basic Swivel Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M22	-20C	-0A	●	No Arms	532	544	569	588	619	656	700	756	825	912
		-38A4	●	Height Adjustable	542	554	579	598	629	666	710	766	835	922
		-39A4	●	Height Adj & Roll Back Function	568	580	605	624	655	692	736	792	861	948
		-18A4	●	Full Function Arm	568	580	605	624	655	692	736	792	861	948



### MID BACK MESH / MEDIUM (B) SEAT - *Single Position Knee Tilt Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M22	-12C	-0A	●	No Arms	584	596	621	640	671	708	752	808	877	964
		-38A4	●	Height Adjustable	594	606	631	650	681	718	762	818	887	974
		-39A4	●	Height Adj & Roll Back Function	620	632	657	676	707	744	788	844	913	1000
		-18A4	●	Full Function Arm	620	632	657	676	707	744	788	844	913	1000




-13C Control With Seat Slide Add \$73 List How to Specify: **4M22-13C-10A4**

### MID BACK MESH / MEDIUM (B) SEAT - *Syncro Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M22	-60C	-0A	●	No Arms	584	596	621	640	671	708	752	808	877	964
		-38A4	●	Height Adjustable	594	606	631	650	681	718	762	818	887	974
		-39A4	●	Height Adj & Roll Back Function	620	632	657	676	707	744	788	844	913	1000
		-18A4	●	Full Function Arm	620	632	657	676	707	744	788	844	913	1000



### STANDARD ARM OPTIONS



### MESH COLORS AVAILABLE

SUFFIX	DESCRIPTION	PRICE
-01MM	Black Mesh	\$0
-03MM	Graphite Mesh	\$21
-05MM	Doe Mesh	\$21
-07MM	Sea Foam Mesh	\$21

How to Specify:  
**4M22-20C-38A4-05MM**

SEAT & BACK | CONTROL | ARM STYLE | OPTION


### STANDARD CHAIR OPTIONS

SUFFIX	QS	DESCRIPTION	PRICE	SUFFIX	QS	DESCRIPTION	PRICE
-9	●	Four Way Adjustable Arm Cap (38A only)	\$31 List	-11CB	●	Custom Stain Base	\$223 List
-14AB	●	Adjustable Width Bracket (38A only)	\$23 List	-21TB133	●	Fire Rated Products (See page 151)	\$92 List
-30SS	●	Seat Slide	\$73 List	-15ESD	●	Electrostatic Discharge (See page 151)	
-15SC	●	Hard Floor Casters	\$23 List				
-15XC	●	Spoked Casters	\$33 List				
-15GL	●	Glides	\$23 List				
-18ZL	●	Drop Down Bracket (18A Arm Only)	\$51 List				
-11PB	●	Polished Aluminum Base	\$92 List				
-11BA	●	Brushed Aluminum Base	\$92 List				
-11DR	●	Drafting Stool kit - footring (See page 151)	\$126 List				

# RIVA-ACT2

## MID BACK MESH / LARGE SEAT

### ERGONOMIC TASK SEATING




Seat - COM .75 yd; COL 8.5 sq. ft.

#### True 48-Hour Commitment

- **20/48** 20 Chairs Every 48 Hours (Selected Models & Options Only)
- **10/48** 10 Chairs Every 48 Hours (Selected Models & Options Only)


#### MID BACK MESH / LARGE (C) SEAT - *Basic Swivel Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M32	-20C	-0A	●	No Arms	605	617	642	661	692	729	773	829	898	985
		-38A4	●	Height Adjustable	615	627	652	671	702	739	783	839	908	995
		-39A4	●	Height Adj & Roll Back Function	641	653	678	697	728	765	809	865	934	1021
		-18A4	●	Full Function Arm	641	653	678	697	728	765	809	865	934	1021



#### MID BACK MESH / LARGE (C) SEAT - *Knee Tilt Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M32	-12C	-0A	●	No Arms	657	669	694	713	744	781	825	881	950	1037
		-38A4	●	Height Adjustable	667	679	704	723	754	791	835	891	960	1047
		-39A4	●	Height Adj & Roll Back Function	693	705	730	749	780	817	861	917	986	1073
		-18A4	●	Full Function Arm	693	705	730	749	780	817	861	917	986	1073




-13C Control With Seat Slide Add \$73 List How to Specify: **4M32-13C-10A4**

#### MID BACK MESH / LARGE (C) SEAT - *Syncro Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M32	-60C	-0A	●	No Arms	657	669	694	713	744	781	825	881	950	1037
		-38A4	●	Height Adjustable	667	679	704	723	754	791	835	891	960	1047
		-39A4	●	Height Adj & Roll Back Function	693	705	730	749	780	817	861	917	986	1073
		-18A4	●	Full Function Arm	693	705	730	749	780	817	861	917	986	1073



#### STANDARD ARM OPTIONS



#### MESH COLORS AVAILABLE

SUFFIX	DESCRIPTION	PRICE
-01MM	Black Mesh	\$0
-03MM	Graphite Mesh	\$21
-05MM	Doe Mesh	\$21
-07MM	Sea Foam Mesh	\$21

How to Specify:  
**4M32-12C-18A4-03MM**  
 SEAT & BACK | ARM STYLE | CONTROL | OPTION

#### STANDARD CHAIR OPTIONS

SUFFIX	QS	DESCRIPTION	PRICE	SUFFIX	QS	DESCRIPTION	PRICE
-9	●	Four Way Adjustable Arm Cap (38A, 39A only)	\$31 List	-11CB	●	Custom Stain Base	\$223 List
-14AB	●	Adjustable Width Bracket (38A only)	\$23 List	-21TB133	●	Fire Rated Products (See page 151)	\$92 List
-30SS	●	Seat Slide	\$73 List	-15ESD	●	Electrostatic Discharge (See page 151)	
-15SC	●	Hard Floor Casters	\$23 List				
-15XC	●	Spoked Casters	\$33 List				
-15GL	●	Glides	\$23 List				
-18ZL	●	Drop Down Bracket (18A Arm Only)	\$51 List				
-11PB	●	Polished Aluminum Base	\$92 List				
-11BA	●	Brushed Aluminum Base	\$92 List				


# RIVA-ACT2

## MID BACK / STANDARD SEAT

### ERGONOMIC TASK SEATING

True 48-Hour Commitment


- **20/48** 20 Chairs Every 48 Hours
- **10/48** 10 Chairs Every 48 Hours



Seat & Back Cushion - COM .75 yd.; COL 13.5 sq. ft. (small seat) | COM 1 yd.; COL 15 sq. ft. (medium seat)  
 \*Upholstered Back Shell (See Options Below) - COM add .75 yd.; COL add 5 sq. ft.


### MID BACK / STANDARD (A) SEAT - *Basic Swivel Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3403	-20C	-0A	●	No Arms	479	488	507	521	544	572	605	647	699	764
		-38A4	●	Height Adjustable	490	499	518	532	555	583	616	658	710	775
		-39A4	●	Height Adj & Roll Back Function	516	525	544	558	581	609	642	684	736	801
		-18A4	●	Full Function Arm	516	525	544	558	581	609	642	684	736	801



### MID BACK / STANDARD (A) SEAT - *Single Position Knee Tilt Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3403	-12C	-0A	●	No Arms	531	540	559	573	596	624	657	699	751	816
		-38A4	●	Height Adjustable	542	551	570	584	607	635	668	710	762	827
		-39A4	●	Height Adj & Roll Back Function	568	577	596	610	633	661	694	736	788	853
		-18A4	●	Full Function Arm	568	577	596	610	633	661	694	736	788	853




-13C Control With Seat Slide Add \$73 List How to Specify: **3403-13C-10A4**

### MID BACK / STANDARD (A) SEAT - *Syncro Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3403	-60C	-0A	●	No Arms	531	540	559	573	596	624	657	699	751	816
		-38A4	●	Height Adjustable	542	551	570	584	607	635	668	710	762	827
		-39A4	●	Height Adj & Roll Back Function	568	577	596	610	633	661	694	736	788	853
		-18A4	●	Full Function Arm	568	577	596	610	633	661	694	736	788	853



### STANDARD ARM OPTIONS



How to Specify:

**3403-20C-18A4-11PB**  
 SEAT & BACK CONTROL | ARM STYLE | OPTION


### STANDARD CHAIR OPTIONS

SUFFIX	QS	DESCRIPTION	PRICE	SUFFIX	QS	DESCRIPTION	PRICE
-9	●	Four Way Adjustable Arm Cap (38A only)	\$31 List	-22UBF	●	Upholstered Fabric Back Shell*	\$122 List
-18ZL	●	Drop Down Bracket (18A Arm only)	\$51 List	-22UBL	●	Upholstered Leather Back Shell*	\$145 List
-30SS	●	Seat Slide	\$73 List	-12LUM-E	●	Mechanical Lumbar	\$131 List
-15SC	●	Hard Floor Casters	\$23 List	-12AIR-1	●	Single Chamber Air Lumbar	\$69 List
-15XC	●	Spoked Casters	\$33 List	-21TB133	●	Fire Rated Products (See page 151)	\$92 List
-15GL	●	Glides	\$23 List	-15ESD	●	Electrostatic Discharge (See page 151)	
-14AB	●	Adjustable Width Bracket (38A Arm Only)	\$23 List				
-11PB	●	Polished Aluminum Base	\$92 List				
-11BA	●	Brushed Aluminum Base	\$92 List				
-11DR	●	Drafting Stool kit - footring (See page 151)	\$126 List				

# RIVA-ACT2

## MID BACK / MEDIUM SEAT

### ERGONOMIC TASK SEATING




Seat & Back Cushion - COM .75 yd.; COL 13.5 sq. ft. (small seat) | COM 1 yd.; COL 15 sq. ft. (medium seat)  
 \*Upholstered Back Shell (See Options Below) - COM add .75 yd.; COL add 5 sq. ft.


True 48-Hour Commitment

- **20/48** 20 Chairs Every 48 Hours
- **10/48** 10 Chairs Every 48 Hours


#### MID BACK / MEDIUM (B) SEAT - *Basic Swivel Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
	<b>-20C</b>	<b>-0A</b>	●	No Arms	532	544	569	588	619	656	700	756	825	912
		<b>-38A4</b>	●	Height Adjustable	542	554	579	598	629	666	710	766	835	922
		<b>-39A4</b>	●	Height Adj & Roll Back Function	568	580	605	624	655	692	736	792	861	948
		<b>-18A4</b>	●	Full Function Arm	568	580	605	624	655	692	736	792	861	948


#### MID BACK / MEDIUM (B) SEAT - *Single Position Knee Tilt Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
	<b>-12C</b>	<b>-0A</b>	●	No Arms	584	596	621	640	671	708	752	808	877	964
		<b>-38A4</b>	●	Height Adjustable	594	606	631	650	681	718	762	818	887	974
		<b>-39A4</b>	●	Height Adj & Roll Back Function	620	632	657	676	707	744	788	844	913	1000
		<b>-18A4</b>	●	Full Function Arm	620	632	657	676	707	744	788	844	913	1000
<b>-13C</b>	Control With Seat Slide		Add \$73 List		How to Specify: <b>3603-13C-10A4</b>									

#### MID BACK / MEDIUM (B) SEAT - *Syncro Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
	<b>-60C</b>	<b>-0A</b>	●	No Arms	584	596	621	640	671	708	752	808	877	964
		<b>-38A4</b>	●	Height Adjustable	594	606	631	650	681	718	762	818	887	974
		<b>-39A4</b>	●	Height Adj & Roll Back Function	620	632	657	676	707	744	788	844	913	1000
		<b>-18A4</b>	●	Full Function Arm	620	632	657	676	707	744	788	844	913	1000

#### STANDARD ARM OPTIONS



How to Specify:  
**3603-60C-39A4-11PB**  
 SEAT & BACK CONTROL | ARM STYLE | OPTION

#### STANDARD CHAIR OPTIONS

SUFFIX	QS	DESCRIPTION	PRICE	SUFFIX	QS	DESCRIPTION	PRICE
<b>-9</b>	●	Four Way Adjustable Arm Cap (38A only)	\$31 List	<b>-22UBF</b>	○	Upholstered Fabric Back Shell*	\$122 List
<b>-18ZL</b>	●	Drop Down Bracket (18A Arm only)	\$51 List	<b>-22UBL</b>	○	Upholstered Leather Back Shell*	\$145 List
<b>-30SS</b>	●	Seat Slide	\$73 List	<b>-12LUM-E</b>	●	Mechanical Lumbar	\$131 List
<b>-155C</b>	●	Hard Floor Casters	\$23 List	<b>-12AIR-1</b>	●	Single Chamber Air Lumbar	\$69 List
<b>-15XC</b>	●	Spoked Casters	\$33 List	<b>-21TB133</b>	○	Fire Rated Products (See page 151)	\$92 List
<b>-15GL</b>	●	Glides	\$23 List	<b>-15ESD</b>	○	Electrostatic Discharge (See page 151)	
<b>-14AB</b>	●	Adjustable Width Bracket (38A Arm Only)	\$23 List				
<b>-11PB</b>	●	Polished Aluminum Base	\$92 List				
<b>-11BA</b>	●	Brushed Aluminum Base	\$92 List				
<b>-11DR</b>	●	Drafting Stool kit - footing (See page 151)	\$126 List				


# RIVA-ACT2

## MID BACK / LARGE SEAT

### ERGONOMIC TASK SEATING

True 48-Hour Commitment


- **20/48** 20 Chairs Every 48 Hours
- **10/48** 10 Chairs Every 48 Hours



Seat & Back Cushion - COM 1 yd.; COL 16 sq.ft.  
 \*Upholstered Back Shell (See Options Below) - COM add .75 yd.; COL add 5 sq. ft.

### MID BACK / LARGE (C) SEAT - *Basic Swivel Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3803	-20C	-0A	●	No Arms	605	617	642	661	692	729	773	829	898	985
		-38A4	●	Height Adjustable	615	627	652	671	702	739	783	839	908	995
		-39A4	●	Height Adj & Roll Back Function	641	653	678	697	728	765	809	865	934	1021
		-18A4	●	Full Function Arm	641	653	678	697	728	765	809	865	934	1021



### MID BACK / LARGE (C) SEAT - *Single Position Knee Tilt Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3803	-12C	-0A	●	No Arms	657	669	694	713	744	781	825	881	950	1037
		-38A4	●	Height Adjustable	667	679	704	723	754	791	835	891	960	1047
		-39A4	●	Height Adj & Roll Back Function	693	705	730	749	780	817	861	917	986	1073
		-18A4	●	Full Function Arm	693	705	730	749	780	817	861	917	986	1073



-13C Control With Seat Slide Add \$73 List How to Specify: 3803-13C-10A4


### MID BACK / LARGE (C) SEAT - *Syncro Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3803	-60C	-0A	●	No Arms	657	669	694	713	744	781	825	881	950	1037
		-38A4	●	Height Adjustable	667	679	704	723	754	791	835	891	960	1047
		-39A4	●	Height Adj & Roll Back Function	693	705	730	749	780	817	861	917	986	1073
		-18A4	●	Full Function Arm	693	705	730	749	780	817	861	917	986	1073



### STANDARD ARM OPTIONS

How to Specify:



**3803-60C-10A4-15GL**  
 SEAT & BACK CONTROL | ARM STYLE | OPTION


### STANDARD CHAIR OPTIONS

SUFFIX	QS	DESCRIPTION	PRICE	SUFFIX	QS	DESCRIPTION	PRICE
-9	●	Four Way Adjustable Arm Cap (38A only)	\$31 List	-22UBF	○	Upholstered Fabric Back Shell*	\$122 List
-18ZL	●	Drop Down Bracket (18A Arm only)	\$51 List	-22UBL	○	Upholstered Leather Back Shell*	\$145 List
-30SS	●	Seat Slide	\$73 List	-12LUM-E	●	Mechanical Lumbar	\$131 List
-15SC	●	Hard Floor Casters	\$23 List	-12AIR-1	●	Single Chamber Air Lumbar	\$69 List
-15XC	●	Spoked Casters	\$33 List	-21TB133	○	Fire Rated Products (See page 151)	\$92 List
-15GL	●	Glides	\$23 List	-15ESD	○	Electrostatic Discharge (See page 151)	
-14AB	●	Adjustable Width Bracket (38A Arm Only)	\$23 List				
-11PB	●	Polished Aluminum Base	\$92 List				
-11BA	●	Brushed Aluminum Base	\$92 List				

# RIVA-ACT2

## HIGH BACK MESH / STANDARD SEAT

### ERGONOMIC TASK SEATING




Seat - COM .75 yd; COL 8.5 sq. ft.

True 48-Hour Commitment

- **20/48** 20 Chairs Every 48 Hours
- **10/48** 10 Chairs Every 48 Hours

### HIGH BACK MESH / STANDARD (A) SEAT - *Basic Swivel Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M14	-20C	-0A	●	No Arms	588	597	616	630	653	681	714	756	808	873
		-38A4	●	Height Adjustable	599	608	627	641	664	692	725	767	819	884
		-39A4	●	Height Adj & Roll Back Function	625	634	653	667	690	718	751	793	845	910
		-18A4	●	Full Function Arm	625	634	653	667	690	718	751	793	845	910
		-80A	●	Exec "C" Arm	646	655	674	688	711	739	772	814	866	931
		-90A	●	Exec "C" Arm Upholstered	690	711	755	788	842	907	984	1082	1203	1355



### HIGH BACK MESH / STANDARD (A) SEAT - *Single Position Knee Tilt Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M14	-12C	-0A	●	No Arms	640	649	668	682	705	733	766	808	860	925
		-38A4	●	Height Adjustable	651	660	679	693	716	744	777	819	871	936
		-39A4	●	Height Adj & Roll Back Function	677	686	705	719	742	770	803	845	897	962
		-18A4	●	Full Function Arm	677	686	705	719	742	770	803	845	897	962
		-80A	●	Exec "C" Arm	698	707	726	740	763	791	824	866	918	983
		-90A	●	Exec "C" Arm Upholstered	742	763	807	840	894	959	1036	1134	1255	1407




-13C Control With Seat Slide Add \$73 List How to Specify: 4M14-13C-10A4

### HIGH BACK MESH / STANDARD (A) SEAT - *Syncro Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M14	-60C	-0A	●	No Arms	640	649	668	682	705	733	766	808	860	925
		-38A4	●	Height Adjustable	651	660	679	693	716	744	777	819	871	936
		-39A4	●	Height Adj & Roll Back Function	677	686	705	719	742	770	803	845	897	962
		-18A4	●	Full Function Arm	677	686	705	719	742	770	803	845	897	962
		-80A	●	Exec "C" Arm	698	707	726	740	763	791	824	866	918	983
		-90A	●	Exec "C" Arm Upholstered	742	763	807	840	894	959	1036	1134	1255	1407



### STANDARD ARM OPTIONS



### MESH COLORS AVAILABLE

SUFFIX	DESCRIPTION	PRICE
-01HM	Black Mesh	\$0
-03HM	Graphite Mesh	\$21
-05HM	Doe Mesh	\$21
-07HM	Sea Foam Mesh	\$21

How to Specify:

**4M14-60C-0A-03HM**  
SEAT & BACK | ARM STYLE | CONTROL | OPTION

### STANDARD CHAIR OPTIONS

SUFFIX	QS	DESCRIPTION	PRICE	SUFFIX	QS	DESCRIPTION	PRICE
-9	●	Four Way Adjustable Arm Cap (38A only)	\$31 List	-11CB	●	Custom Stain Base	\$223 List
-14AB	●	Adjustable Width Bracket (38A only)	\$23 List	-21TB133	●	Fire Rated Products (See page 151)	\$92 List
-30SS	●	Seat Slide	\$73 List	-15ESD	●	Electrostatic Discharge (See page 151)	
-15SC	●	Hard Floor Casters	\$23 List				
-15XC	●	Spoked Casters	\$33 List				
-15GL	●	Glides	\$23 List				
-18ZL	●	Drop Down Bracket (18A Arm Only)	\$51 List				
-11PB	●	Polished Aluminum Base	\$92 List				
-11BA	●	Brushed Aluminum Base	\$92 List				
-11DR	●	Drafting Stool kit - footing (See page 151)	\$126 List				


# RIVA-ACT2

## HIGH BACK MESH / MEDIUM SEAT

### ERGONOMIC TASK SEATING

True 48-Hour Commitment


- **20/48** 20 Chairs Every 48 Hours
- **10/48** 10 Chairs Every 48 Hours



Seat - COM .75 yd; COL 8.5 sq. ft.


### HIGH BACK MESH / MEDIUM (B) SEAT - *Basic Swivel Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M24	-20C	-0A	●	No Arms	641	653	678	697	728	765	809	865	934	1021
		-38A4	●	Height Adjustable	651	663	688	707	738	775	819	875	944	1031
		-39A4	●	Height Adj & Roll Back Function	677	689	714	733	764	801	845	901	970	1057
		-18A4	●	Full Function Arm	677	689	714	733	764	801	845	901	970	1057
		-80A	●	Exec "C" Arm	698	710	735	754	785	822	866	922	991	1078
		-90A	●	Exec "C" Arm Upholstered	742	766	816	854	916	990	1078	1190	1328	1502



### HIGH BACK MESH / MEDIUM (B) SEAT - *Single Position Knee Tilt Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M24	-12C	-0A	●	No Arms	693	705	730	749	780	817	861	917	986	1073
		-38A4	●	Height Adjustable	703	715	740	759	790	827	871	927	996	1083
		-39A4	●	Height Adj & Roll Back Function	729	741	766	785	816	853	897	953	1022	1109
		-18A4	●	Full Function Arm	729	741	766	785	816	853	897	953	1022	1109
		-80A	●	Exec "C" Arm	750	762	787	806	837	874	918	974	1043	1130
		-90A	●	Exec "C" Arm Upholstered	794	818	868	906	968	1042	1130	1242	1380	1554




-13C Control With Seat Slide Add \$73 List How to Specify: 4M24-13C-10A4

### HIGH BACK MESH / MEDIUM (B) SEAT - *Syncro Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M24	-60C	-0A	●	No Arms	693	705	730	749	780	817	861	917	986	1073
		-38A4	●	Height Adjustable	703	715	740	759	790	827	871	927	996	1083
		-39A4	●	Height Adj & Roll Back Function	729	741	766	785	816	853	897	953	1022	1109
		-18A4	●	Full Function Arm	729	741	766	785	816	853	897	953	1022	1109
		-80A	●	Exec "C" Arm	750	762	787	806	837	874	918	974	1043	1130
		-90A	●	Exec "C" Arm Upholstered	794	818	868	906	968	1042	1130	1242	1380	1554



### STANDARD ARM OPTIONS



### MESH COLORS AVAILABLE

SUFFIX	DESCRIPTION	PRICE
-01HM	Black Mesh	\$0
-03HM	Graphite Mesh	\$21
-05HM	Doe Mesh	\$21
-07HM	Sea Foam Mesh	\$21

How to Specify:  
**4M24-60C-18A4-03HM**  
 SEAT & BACK | ARM STYLE | CONTROL | OPTION


### STANDARD CHAIR OPTIONS

SUFFIX	QS	DESCRIPTION	PRICE	SUFFIX	QS	DESCRIPTION	PRICE
-9	●	Four Way Adjustable Arm Cap (38A only)	\$31 List	-11CB	●	Custom Stain Base	\$223 List
-14AB	●	Adjustable Width Bracket (38A only)	\$23 List	-21TB133	●	Fire Rated Products (See page 151)	\$92 List
-30SS	●	Seat Slide	\$73 List	-15ESD	●	Electrostatic Discharge (See page 151)	
-15SC	●	Hard Floor Casters	\$23 List				
-15XC	●	Spoked Casters	\$33 List				
-15GL	●	Glides	\$23 List				
-18ZL	●	Drop Down Bracket (18A Arm Only)	\$51 List				
-11PB	●	Polished Aluminum Base	\$92 List				
-11BA	●	Brushed Aluminum Base	\$92 List				
-11DR	●	Drafting Stool kit - footing (See page 151)	\$126 List				

# RIVA-ACT2

## HIGH BACK MESH / LARGE SEAT

### ERGONOMIC TASK SEATING




Seat - COM .75 yd; COL 8.5 sq. ft.

#### True 48-Hour Commitment

- **20/48** 20 Chairs Every 48 Hours
- **10/48** 10 Chairs Every 48 Hours


### HIGH BACK MESH / LARGE (C) SEAT - *Basic Swivel Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M34	-20C	-0A	●	No Arms	714	726	751	770	801	838	882	938	1007	1094
		-38A4	●	Height Adjustable	724	736	761	780	811	848	892	948	1017	1104
		-39A4	●	Height Adj & Roll Back Function	750	762	787	806	837	874	918	974	1043	1130
		-18A4	●	Full Function Arm	750	762	787	806	837	874	918	974	1043	1130
		-80A	●	Exec "C" Arm	771	783	808	827	858	895	939	995	1064	1151
		-90A	●	Exec "C" Arm Upholstered	815	839	889	927	989	1063	1151	1263	1401	1575



### HIGH BACK MESH / LARGE (C) SEAT - *Single Position Knee Tilt Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M34	-12C	-0A	●	No Arms	766	778	803	822	853	890	934	990	1059	1146
		-38A4	●	Height Adjustable	776	788	813	832	863	900	944	1000	1069	1156
		-39A4	●	Height Adj & Roll Back Function	802	814	839	858	889	926	970	1026	1095	1182
		-18A4	●	Full Function Arm	802	814	839	858	889	926	970	1026	1095	1182
		-80A	●	Exec "C" Arm	823	835	860	879	910	947	991	1047	1116	1203
		-90A	●	Exec "C" Arm Upholstered	867	891	941	979	1041	1115	1203	1315	1453	1627




-13C Control With Seat Slide Add \$73 List How to Specify: 4M34-13C-10A4

### HIGH BACK MESH / LARGE (C) SEAT - *Syncro Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
4M34	-60C	-0A	●	No Arms	766	778	803	822	853	890	934	990	1059	1146
		-38A4	●	Height Adjustable	776	788	813	832	863	900	944	1000	1069	1156
		-39A4	●	Height Adj & Roll Back Function	802	814	839	858	889	926	970	1026	1095	1182
		-18A4	●	Full Function Arm	802	814	839	858	889	926	970	1026	1095	1182
		-80A	●	Exec "C" Arm	823	835	860	879	910	947	991	1047	1116	1203
		-90A	●	Exec "C" Arm Upholstered	867	891	941	979	1041	1115	1203	1315	1453	1627



### STANDARD ARM OPTIONS



### MESH COLORS AVAILABLE

SUFFIX	DESCRIPTION	PRICE
-01HM	Black Mesh	\$0
-03HM	Graphite Mesh	\$21
-05HM	Doe Mesh	\$21
-07HM	Sea Foam Mesh	\$21

How to Specify:

**4M34-12C-0A-05HM**  
SEAT & BACK | ARM STYLE | CONTROL | OPTION

### STANDARD CHAIR OPTIONS

SUFFIX	QS	DESCRIPTION	PRICE	SUFFIX	QS	DESCRIPTION	PRICE
-9	●	Four Way Adjustable Arm Cap (38A only)	\$31 List	-11CB	●	Custom Stain Base	\$223 List
-14AB	●	Adjustable Width Bracket (38A only)	\$23 List	-21TB133	●	Fire Rated Products (See page 151)	\$92 List
-30SS	●	Seat Slide	\$73 List	-15ESD	●	Electrostatic Discharge (See page 151)	
-15SC	●	Hard Floor Casters	\$23 List				
-15XC	●	Spoked Casters	\$33 List				
-15GL	●	Glides	\$23 List				
-18ZL	●	Drop Down Bracket (18A Arm Only)	\$51 List				
-11PB	●	Polished Aluminum Base	\$92 List				
-11BA	●	Brushed Aluminum Base	\$92 List				

# RIVA-ACT2


## HIGH BACK / STANDARD SEAT

ERGONOMIC TASK SEATING

True 48-Hour Commitment

● **20/48** 20 Chairs Every 48 Hours


○ **10/48** 10 Chairs Every 48 Hours



Seat & Back Cushion - COM 1.75 yd.; COL 22.5 sq. ft.  
\*Upholstered Back: Fabric or Leather (See Options Below)


### HIGH BACK / STANDARD (A) SEAT - *Basic Swivel Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3405	-20C	-0A	●	No Arms	567	589	633	666	720	786	862	961	1081	1234
		-38A4	●	Height Adjustable	577	599	643	676	730	796	872	971	1091	1244
		-39A4	●	Height Adj & Roll Back Function	603	625	669	702	756	822	898	997	1117	1270
		-18A4	●	Full Function Arm	603	625	669	702	756	822	898	997	1117	1270
		-80A	●	Exec "C" Arm	624	646	690	723	777	843	919	1018	1138	1291
		-90A	●	Exec "C" Arm Upholstered	668	702	771	823	908	1011	1131	1286	1475	1715



### HIGH BACK / STANDARD (A) SEAT - *Single Position Knee Tilt Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3405	-12C	-0A	●	No Arms	619	641	685	718	772	838	914	1013	1133	1286
		-38A4	●	Height Adjustable	629	651	695	728	782	848	924	1023	1143	1296
		-39A4	●	Height Adj & Roll Back Function	655	677	721	754	808	874	950	1049	1169	1322
		-18A4	●	Full Function Arm	655	677	721	754	808	874	950	1049	1169	1322
		-80A	●	Exec "C" Arm	676	698	742	775	829	895	971	1070	1190	1343
		-90A	●	Exec "C" Arm Upholstered	720	754	823	875	960	1063	1183	1338	1527	1767




-13C Control With Seat Slide Add \$73 List How to Specify: 3405-13C-10A4

### HIGH BACK / STANDARD (A) SEAT - *Syncro Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3405	-60C	-0A	●	No Arms	619	641	685	718	772	838	914	1013	1133	1286
		-38A4	●	Height Adjustable	629	651	695	728	782	848	924	1023	1143	1296
		-39A4	●	Height Adj & Roll Back Function	655	677	721	754	808	874	950	1049	1169	1322
		-18A4	●	Full Function Arm	655	677	721	754	808	874	950	1049	1169	1322
		-80A	●	Exec "C" Arm	676	698	742	775	829	895	971	1070	1190	1343
		-90A	●	Exec "C" Arm Upholstered	720	754	823	875	960	1063	1183	1338	1527	1767



### STANDARD ARM OPTIONS



-38A4 ● Height Adjustable Arm

-18A4 ● Full Function Adj. Arm with PU Pad

-39A4 ● Swing Back Adj. Ht. Arm with PU Pad  
**ADJ. Width Bracket N/A**

-80A ● Exec. "C" Arm Non-Upholstered  
-90A ● Exec. "C" Arm Full-Upholstered

For: COM Add - 1 yd.  
COL Add - 8.5 sq. ft.

How to Specify:

**3405-60C-18A4-15GL**  
SEAT & BACK CONTROL | ARM STYLE | OPTION

### STANDARD CHAIR OPTIONS


SUFFIX	QS	DESCRIPTION	PRICE	SUFFIX	QS	DESCRIPTION	PRICE
-9	●	Four Way Adjustable Arm Cap (38A only)	\$31 List	-22UBF	●	Upholstered Fabric Back Shell*	\$122 List
-18ZL	●	Drop Down Bracket (18A Arm only)	\$51 List	-22UBL	●	Upholstered Leather Back Shell*	\$145 List
-30SS	●	Seat Slide	\$73 List	-12LUM-E	●	Mechanical Lumbar	\$131 List
-15SC	●	Hard Floor Casters	\$23 List	-12AIR-1	●	Single Chamber Air Lumbar	\$69 List
-15XC	●	Spoked Casters	\$33 List	-21TB133	●	Fire Rated Products (See page 151)	\$159 List
-15GL	●	Glides	\$23 List	-15ESD	●	Electrostatic Discharge (See page 151)	
-14AB	●	Adjustable Width Bracket (38A Arm Only)	\$23 List				
-11PB	●	Polished Aluminum Base	\$92 List				
-11BA	●	Brushed Aluminum Base	\$92 List				



# RIVA-ACT2

## HIGH BACK / MEDIUM SEAT

### ERGONOMIC TASK SEATING




Seat & Back Cushion - COM 1.75 yd.; COL 23 sq. ft.  
\*Upholstered Back: Fabric or Leather (See Options Below)

True 48-Hour Commitment

- **20/48** 20 Chairs Every 48 Hours
- **10/48** 10 Chairs Every 48 Hours

#### HIGH BACK / MEDIUM (B) SEAT - *Basic Swivel Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3605	-20C	-0A	●	No Arms	619	641	685	718	772	838	914	1013	1133	1286
		-38A4	●	Height Adjustable	629	651	695	728	782	848	924	1023	1143	1296
		-39A4	●	Height Adj & Roll Back Function	655	677	721	754	808	874	950	1049	1169	1322
		-18A4	●	Full Function Arm	655	677	721	754	808	874	950	1049	1169	1322
		-80A	●	Exec "C" Arm	676	698	742	775	829	895	971	1070	1190	1343
		-90A	●	Exec "C" Arm Upholstered	720	754	823	875	960	1063	1183	1338	1527	1767



#### HIGH BACK / MEDIUM (B) SEAT - *Single Position Knee Tilt Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3605	-12C	-0A	●	No Arms	671	693	737	770	824	890	966	1065	1185	1338
		-38A4	●	Height Adjustable	681	703	747	780	834	900	976	1075	1195	1348
		-39A4	●	Height Adj & Roll Back Function	707	729	773	806	860	926	1002	1101	1221	1374
		-18A4	●	Full Function Arm	707	729	773	806	860	926	1002	1101	1221	1374
		-80A	●	Exec "C" Arm	728	750	794	827	881	947	1023	1122	1242	1395
		-90A	●	Exec "C" Arm Upholstered	772	806	875	927	1012	1115	1235	1390	1579	1819




-13C Control With Seat Slide Add \$73 List How to Specify: 3605-13C-10A4

#### HIGH BACK / MEDIUM (B) SEAT - *Syncro Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3605	-60C	-0A	●	No Arms	671	693	737	770	824	890	966	1065	1185	1338
		-38A4	●	Height Adjustable	681	703	747	780	834	900	976	1075	1195	1348
		-39A4	●	Height Adj & Roll Back Function	707	729	773	806	860	926	1002	1101	1221	1374
		-18A4	●	Full Function Arm	707	729	773	806	860	926	1002	1101	1221	1374
		-80A	●	Exec "C" Arm	728	750	794	827	881	947	1023	1122	1242	1395
		-90A	●	Exec "C" Arm Upholstered	772	806	875	927	1012	1115	1235	1390	1579	1819




#### STANDARD ARM OPTIONS



-38A4 ● Height Adjustable Arm



-18A4 ● Full Function Adj. Arm with PU Pad



-39A4 ● Swing Back Adj. Ht. Arm with PU Pad  
**ADJ. Width Bracket N/A**



-80A ● Exec. "C" Arm Non-Upholstered  
-90A ○ Exec. "C" Arm Full-Upholstered

For: COM Add - 1 yd.  
COL Add - 8.5 sq. ft.

How to Specify:

**3605-60C-18A4-15GL**  
SEAT & BACK CONTROL | ARM STYLE | OPTION

#### STANDARD CHAIR OPTIONS

SUFFIX	QS	DESCRIPTION	PRICE	SUFFIX	QS	DESCRIPTION	PRICE
-9	●	Four Way Adjustable Arm Cap (38A only)	\$31 List	-22UBF	●	Upholstered Fabric Back Shell*	\$122 List
-18ZL	●	Drop Down Bracket (18A Arm only)	\$51 List	-22UBL	●	Upholstered Leather Back Shell*	\$145 List
-30SS	●	Seat Slide	\$73 List	-12LUM-E	●	Mechanical Lumbar	\$131 List
-15SC	●	Hard Floor Casters	\$23 List	-12AIR-1	●	Single Chamber Air Lumbar	\$69 List
-15XC	●	Spoked Casters	\$33 List	-21TB133	●	Fire Rated Products (See page 151)	\$159 List
-15GL	●	Glides	\$23 List	-15ESD	●	Electrostatic Discharge (See page 151)	
-14AB	●	Adjustable Width Bracket (38A Arm Only)	\$23 List				
-11PB	●	Polished Aluminum Base	\$92 List				
-11BA	●	Brushed Aluminum Base	\$92 List				


# RIVA-ACT2

## HIGH BACK / LARGE SEAT

ERGONOMIC TASK SEATING

True 48-Hour Commitment


- **20/48** 20 Chairs Every 48 Hours
- **10/48** 10 Chairs Every 48 Hours



Seat & Back Cushion Plus Back Shell - COM 1.75 yd.; COL 23.5 sq. ft.  
\*Upholstered Back: Fabric or Leather (See Options Below)


### HIGH BACK / LARGE (C) SEAT - *Basic Swivel Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3805	-20C	-0A	●	No Arms	692	714	758	791	845	911	987	1086	1206	1359
		-38A4	●	Height Adjustable	702	724	768	801	855	921	997	1096	1216	1369
		-39A4	●	Height Adj & Roll Back Function	728	750	794	827	881	947	1023	1122	1242	1395
		-18A4	●	Full Function Arm	728	750	794	827	881	947	1023	1122	1242	1395
		-80A	●	Exec "C" Arm	749	771	815	848	902	968	1044	1143	1263	1416
		-90A	●	Exec "C" Arm Upholstered	793	827	896	948	1033	1136	1256	1411	1600	1840



### HIGH BACK / LARGE (C) SEAT - *Single Position Knee Tilt Control* (WEIGHT CAPACITY 300 LBS)


MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3805	-12C	-0A	●	No Arms	744	766	810	843	897	963	1039	1138	1258	1411
		-38A4	●	Height Adjustable	754	776	820	853	907	973	1049	1148	1268	1421
		-39A4	●	Height Adj & Roll Back Function	780	802	846	879	933	999	1075	1174	1294	1447
		-18A4	●	Full Function Arm	780	802	846	879	933	999	1075	1174	1294	1447
		-80A	●	Exec "C" Arm	801	823	867	900	954	1020	1096	1195	1315	1468
		-90A	●	Exec "C" Arm Upholstered	845	879	948	1000	1085	1188	1308	1463	1652	1892



-13C Control With Seat Slide Add \$73 List How to Specify: 3805-13C-10A4


### HIGH BACK MESH / LARGE (C) SEAT - *Syncro Control* (WEIGHT CAPACITY 300 LBS)

MODEL	CONTROL	ARM	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3805	-60C	-0A	●	No Arms	744	766	810	843	897	963	1039	1138	1258	1411
		-38A4	●	Height Adjustable	754	776	820	853	907	973	1049	1148	1268	1421
		-39A4	●	Height Adj & Roll Back Function	780	802	846	879	933	999	1075	1174	1294	1447
		-18A4	●	Full Function Arm	780	802	846	879	933	999	1075	1174	1294	1447
		-80A	●	Exec "C" Arm	801	823	867	900	954	1020	1096	1195	1315	1468
		-90A	●	Exec "C" Arm Upholstered	845	879	948	1000	1085	1188	1308	1463	1652	1892



### STANDARD ARM OPTIONS

How to Specify:



**3805-60C-10A4-15GL**

SEAT & BACK CONTROL | ARM STYLE | OPTION

For: COM Add - 1 yd.  
COL Add - 8.5 sq. ft.

### STANDARD CHAIR OPTIONS

SUFFIX	QS	DESCRIPTION	PRICE	SUFFIX	QS	DESCRIPTION	PRICE
-9	●	Four Way Adjustable Arm Cap (38A only)	\$31 List	-22UBF	●	Upholstered Fabric Back Shell*	\$122 List
-18ZL	●	Drop Down Bracket (18A Arm only)	\$51 List	-22UBL	●	Upholstered Leather Back Shell*	\$145 List
-30SS	●	Seat Slide	\$73 List	-12LUM-E	●	Mechanical Lumbar	\$131 List
-15SC	●	Hard Floor Casters	\$23 List	-12AIR-1	●	Single Chamber Air Lumbar	\$69 List
-15XC	●	Spoked Casters	\$33 List	-21TB133	●	Fire Rated Products (See page 151)	\$159 List
-15GL	●	Glides	\$23 List	-15ESD	●	Electrostatic Discharge (See page 151)	
-14AB	●	Adjustable Width Bracket (38A Arm Only)	\$23 List				
-11PB	●	Polished Aluminum Base	\$92 List				
-11BA	●	Brushed Aluminum Base	\$92 List				




### True 48-Hour Commitment

- **20/48** 20 Chairs Every 48 Hours
- **10/48** 10 Chairs Every 48 Hours

### SLED BASE - Side Chair / Low Back (WEIGHT CAPACITY 300 LBS)

MODEL NUMBER	QS	DESCRIPTION (SEE BELOW)	A	B	1/COM	2	3/COL	4	5	6	7	8
3403-24SB	●	Black Sled Base	572	581	600	614	637	665	698	740	792	857
3403-24SC	●	Chrome Sled Base	608	617	636	650	673	701	734	776	828	893




**One model only: Low Back, A-Seat**

Standard With (4) Arm Pad - Other Cap Options Available.

Seat & Back Cushion - COM .75 yd.; COL 13.5 sq. ft.  
Upholstered Back Shell (Optional) - COM add .75 yd.; COL add 5 sq. ft.

### DRAFTING STOOL - Tall/Extra Tall



SUFFIX	QS	DESCRIPTION		
-11DR	●	Drafting Stool Kit	Add \$146 List	<b>Drafting Stool Kit: "DR" = Seat Height of 23"-30"</b>
-11XDR	●	Extra Tall Drafting Stool Kit	Add \$146 List	<b>Extra Tall Drafting Stool Kit: "XDR" = Seat Height of 25"-35"</b>

Medium Seat / Standard Seat / Posture Control Only (24C) - Add \$146 to 60C List Price  
**IMPORTANT: Seat Slider not available on drafting stools**  
**Includes lift and a footing.**

How to Specify:

**3403-24C-0A4-111DXR**

SEAT & BACK CONTROL | ARM STYLE | OPTION

### ESD - ELECTROSTATIC DISCHARGE

**-15ESD** ●

To specify use grade 5 pricing and choose the chair model without arms (Important: must be specified without arms). This price includes an ESD fabric (see specification below), ESD casters, a polished chrome base and all chair components are linked with a conducting conduit system that carries off static charges before sufficient build-up can occur.

Static Fabric is not stocked at VIA: Our VIA 48-hour manufacturing process starts when we receive the static fabric from the supplier.

99% nylon, 1% carbon fiber. Resistivity (TREK Meter: 20% relative humidity, OHMS/sq) 1.3 x 10 exp 6.

Static Fabric colors include: Mid Blue (light blue), Grey Flannel (light grey), Charcoal (dark grey), Burgundy, Navy (dark blue), Midnight (black), Forest (dark green).

### TB - 133 (CALIFORNIA TECHNICAL BULLETIN 133)

**-21TB133** ○ \$92 List.

To specify a chair with TB-133 (fire proofing), you must also specify upholstered back shell: 22UBF or 22UBL and add the appropriate list price. See page 11 for further information on TB-133.

**Please Note:** Additional COM/COL is required for TB-133! Please send in COM/COL requirements for seat/back cushions and the back shell.